

GET MORE OUT OF YOUR STORE



CROSS POINT





Get more out of your store.


"We are Xcited to introduce new design and new technology."


From our office in the Netherlands, we closely cooperate with local experts. You can rely on an international partner network that offers high-level retail solutions combined with service next door. All of our solutions are designed to minimize loss and maximize store performance and profit. With our new Xperience platform, we are ready for the future. Discover how to get more out of your store!

Cross Point, Emmen, the Netherlands

CROSS POINT


"Discover the bright colour of dawn, when light first appears in the sky."





"Discover the warm colour of sunset, when the sun disappears below the horizon."

"Discover the deep colour of night, an ambient darkness."







Check out the new smart Xperience Platform.

- ✓ Total performance insight
- Clean and clear dashboards with access to all the information you need
- Local and remote service on mobile devices
- Wireless local connectivity
- Proactive identification and action
- A service license puts you in full control
- Available for iOS and Android and through the Xperience portal
- Cross Point news service

COUNTING


оит 26

"Xperience the future with our all powerful app."















Premium detection

Detection distance tested with Cross Point DR labels in all orientations, depending on environment.



XSENSE AM45

Specs.

- Dimensions antenna (w x h x d)
- Dimensions base unit (w x h x d)
- Weight
- Operating frequency
- Power supply (external, TRx only)
- Power-over-Ethernet (PoE)
- Ambient temperature
- Relative humidity
- I/O (TRx only)
- Relay (TRx only)

463 x 1667 x 37 mm 407 x 289 x 97 mm 6,2 kg 58 kHz

Input: 115/230VAC 50-60Hz Output: 32.5VDC + sync Transceiver (PSE) to receiver (PD) 0°C to 50°C 0% to 90%, non-condensing 1

1





XSENSE AM45





XSENSE AM45



XSENSE AM45



"Xposing high-performance deactivation."





Discover the high speed & long-distance deactivator.

- High-performance detection and deactivation range, up to 18 cm
- Distinction between successful and failed deactivations
- Automatic synchronisation with AM systems
- ✓ High deactivation speed, up to 3 times per second
- Input for externally controlled deactivation (like barcode scanner, self-checkout, etc.)
- Optional second deactivation plate
- Optional Notification Box, Double Checker option
- Wireless local and remote service through the Xperience portal and mobile app



AM Deactivator XAMD-2

Specs.

- Dimensions controller unit (l x w x h)
- Dimensions deactivation plate (l x w x h)
- Power supply
- Temperature range
- Frequency
- External antennas
- Detection range
- Deactivation range
- Deactivation speed

300 x 213 x 76 mm

280 x 240 x 3 mm

100 - 240 VAC, 50 - 60 Hz

0 - 50 °C

58 kHz

Max. 2

Up to 18cm* (with DR label)

Up to 18cm* (with DR label)

3 times per second



* Fully coupled and depending on label quality and environment.

Cross Point Headquarters

Emmen, the Netherlands

Cross Point DACH region

Düsseldorf, Germany

Cross Point MEA region

Dubai, United Arab Emirates

+31 (591) 66 88 66

info@crosspoint.nl

www.crosspoint.nl/xperience

CROSS POINT